



UNITOR BAG



Inventory

	Great Lakes	Québec	Atlantic	Total
500 tons	-	1	2	3
100 tons	-	1	-	1
50 tons	-	1	-	1
25 tons	-	-	-	-
Total	-	3	2	5

Application

Flexible temporary oil storage container capable of being towed or moored.

Description

The Unitor Oil Bag is made of an oil and salt water resistant fabric with a tear shaped front and stern section. A nose cone houses the towing arrangement, as well as the connection for filling / discharge.

Operating Data

Max. Towing Speeds:

Empty, calm sea (<0.3m): 12 knots

Full, calm sea (<0.3m): 8 knots

Full, moderate sea (<0.8m): 6 knots

Ancillaries

Metal storage box

Filling / discharge hoses

Technical Data

Fitted with 6 inch fill / discharge fitting (Camlock, male) and 3 inch decanting fitting

	500 tons	100 tons	50 tons	25 tons
Length:	37.5 m (123 ft)	22.2 m (73 ft)	17.7 m (58 ft)	13 m (43 ft)
Width:	8.7 m (28 ft 6 in)	5.1 m (16 ft 8 in)	4.1 m (13 ft 5 in)	3 m (9 ft 10 in)
Storage capacity:	500 m3 (3,100 bbls)	100 m3 (630 bbls)	50 tons (310 bbls)	25 tons (160 bbls)

ECRC~SIMEC

Suite 1201, 275 Slater Street, Ottawa K1P 5H9

Phone (613) 230-7369 Fax (613) 230-7344

Web: www.ecrc.ca